

COVID-19

ANTEA MARIJANOVIĆ, LARA ANTUNOVIĆ, HANA KOZINA I PETRA MILAS

2.D, 2.C I

2.B

SADRŽAJ


- POVIJEST BOLESTI
- BROJ ZABILJEŽENIH SLUČAJEVA
 - SIMPTOMI
- IZOLACIJA I SAMOIZOLACIJA
 - PREVENCIJE
- COVID-19 U HRVATSKOJ

POVIJEST BOLESTI

- SLUŽBENO NASTALA U WUHANU (KINA)
- PRVI SLUČAJ ZABILJEŽEN 17. STUDENOG 2019
- ZABILJEŽENE SU ZARAZE DILJEM ZAPADNOG SVIJETA I AZIJSKO-PACIFIČKOG OCEANA
- BOLESTI SE ŠIRE DILJEM EUROPE



Slika 1. Grad Wuhan



Slika 2. Corona virus

BROJ ZABILJEŽENIH SLUČAJEVA

- 2020. GODINA → (688 084 071),
IZLIJEČENIH (462 507 144) I UMRLIH (6
872 943)
- 2022. GODINA → (534 854 618),
OPORAVLJENIH (505 640 031) I UMRLIH
(6 319 308)



Slika 3. Zaržene osobe

SIMPTOMI

- VRUĆICA
- KAŠALJ
- GUBITAK APETITA
- UMOR
- KRATKOĆA DAHA
- ISKAŠLJAVANJE SPUTUMA
- BOL U MIŠIĆIMA
- GUBITAK MIRISA I OKUSA

Simptomi Delta soja korona virusa

Mlađi ga često definišu kao "jaču prehladu" ili neobičan osećaj bezvoljnosti.

Najčešći simptomi Delta soja




Glavobolja



Bol u grlu



Curenje nosa

 Groznica i temperatura prisutne su i kod ove varijante

Do sada uobičajeni COVID-19 simptomi



Temperatura



Kašalj



Gubitak čula mirisa i ukusa

Gubitak čula mirisa i ukusa znatno je ređi kod Delta soja

Slika 4. Simptomi Corona virusa

IZOLACIJA I SAMOIZOLACIJA



Slika 5. Karantena


- OSOBA S POZITIVNIM TESTOM IDE U IZOLACIJU
- TRAJE 14 DANA
- U SAMOIZOLACIJU IDU OSOBE KOJE SU BILE U BLISKOM KONTAKTU SA ZARAŽENOM OSOBOM
- TRAJE MINIMALNO 10 DANA

PREVENCIJE

COVID-19
Bolest uzrokovana virusom SARS-CoV-2
Disease caused by SARS-CoV-2 Virus




Zaštita:

- Redovito perite ruke sapunom i vodom ILI koristite dezinficijens na bazi alkohola
- Kada kašljete i kišete prekritje usta i nos laktom ili papirnatom maramicom koju poslije odbacite u koš za otpad te operite ruke
- Izbjegavajte dodirivanje lica, usta i oči
- Izbjegavajte bliski kontakt s osobama koje imaju povišenu tjelesnu temperaturu, kašalj i/ili kratak dah
- Izbjegavajte rukovanje i održavajte razmak od barem 1m kod razgovora
- Provjetravajte prostorije i boravite što više na otvorenom
- Izbjegavajte veće grupe ljudi i javna okupljanja



Protection:

- Wash your hands regularly with soap and water OR use an alcohol-based disinfectant
- When coughing and sneezing, cover your mouth and nose with your elbow or tissue paper that you later discard into the trash can and wash your hands
- Avoid touching your face, mouth and eyes
- Avoid close contact with sick people who have fever, coughing and / or shortness of breath
- Avoid handling and close conversation - maintain a distance of at least 1m
- Kip the rooms ventilated and try to spend as much time as possible out in the open
- Avoid larger group of people and public gatherings

 HRVATSKI ZAVOD
ZA JAVNO ZDRAVSTVO  

Slika 6. Prevencije

- NOŠENJE MASKI I RUKAVICA
- PRANJE I DEZINFICIRANJE RUKU
- ODRŽAVANJE RAZMAKA (MIN 2 M)
- IZBJEGAVANJE BLISKOG KONTAKTA
- IZBJEGAVANJE DODIRIVANJA (USTA, NOSA I OČIJU)
- TESTIRANJE NA BOLEST
- CJEPLJENJE

PRAVILNO PRANJE RUKU



Slika 7. Pranje ruku.

MASKA ZA LICE



Slika 8. Nošenje maske za lice



Slika 9. Držanje razmaka

COVID-19 U HRVATSKOJ

- PRVI SLUČAJ 25. VELJAČE 2020. GODINE
- UKUPAN BROJ SLUČAJEVA (1 273 256)
- PREMINULI (18 213)

LITERATURA

- [HTTPS://WWW.WORLDOMETERS.INFO/CORONAVIRUS/](https://www.worldometers.info/coronavirus/)
- [HTTPS://WWW.WHO.INT/HEALTH-TOPICS/CORONAVIRUS#TAB=TAB 1](https://www.who.int/health-topics/coronavirus#tab=tab_1)

HVALA NA PAŽNJI!